
# SUNBLAST3000 RED120° PRO LIGHTS® PROFESSIONAL LIGHTS



180K Lumens FullColor IP graphic strobelight

### **Goniophotometers Diagram**



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.




WEBSITE: www.prolights.it

MAIL: support@musiclights.it

### **Goniophotometers Diagram**






Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.



### **Goniophotometers Diagram**



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

Angle:105.96deg



32.81ft

Height

10m

2.348, 6.916fc

25.28,74.441x

Eavg, Emax

87.01ft


2652.18cm

### SUNBLAST3000 BLUE120° PROLIGHTS® PROFESSIONAL LIGHTS



180K Lumens FullColor IP graphic strobelight

### **Goniophotometers Diagram**



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.




## SUNBLAST3000 FULL120° PRO LIGHTS® PROFESSIONAL LIGHTS



180K Lumens FullColor IP graphic strobelight

### **Goniophotometers Diagram**



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

